

TORQUE^{USA}



X-CREATE







X-CREATE FUNCTIONAL PACKAGES



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCFW-5M-X1
Footprint	36.7" x 234.2" (93 cm x 594 cm)
Height	Frame 95.8" (243 cm); Ball Target 125.5" (319 cm)
Minimum Required Live Area	11.4' X 27.0' (3.48 m x 8.25 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



INCLUDED MODULES

- STORAGE MODULE
- STALL BARS
- BALL & HANGING STORAGE
- BALL TARGET WALL

INCLUDED ATTACHMENTS

- ENDLESS ROPE
- HANGING STORAGE HOOK
- BATTLE ROPE ANCHOR
- RESISTANCE BAND UPRIGHT
- BALL TARGET
- VERTICAL DUMBBELL STORAGE (2)
- 3D HEAVY BAG SWIVEL
- GROUND ROTATIONAL TRAINER
- DOUBLE PLAY
- DIP ATTACHMENT


NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCFW-2M-14-X1
Footprint	36.7" x 173.8" (93 cm x 442 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	9.1' x 18.4' (2.8 m x 5.6 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




INCLUDED MODULES

- OLYMPIC LIFTING MODULE (2)

INCLUDED ATTACHMENTS/OPTIONS

- VERTICAL WEIGHT STORAGE (2)
- MULTI-GRIP CROSS (2)
- X-RACK DOUBLE PLAY (2)
- 6 FT (1.8 M) X-RACK MONKEY BAR CROSS


NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCFW-4M-X1
Footprint	36.7" x 189.5" (93 cm x 481 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	9.1' x 19.7' (2.8 m x 6.0 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




INCLUDED MODULES

- OLYMPIC LIFTING MODULE (2)
- ACCESSORY AND WEIGHT STORAGE (2)

INCLUDED ATTACHMENTS/OPTIONS

- VERTICAL WEIGHT STORAGE
- MULTI-GRIP CROSS (2)
- GROUND ROTATIONAL TRAINER
- X-RACK DOUBLE PLAY (2)


NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCF2SC-5M-X1
Footprint	50.4" x 234.6" (128 cm x 596 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	18.2' x 23.5' (5.6 m x 7.2 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




INCLUDED MODULES

- OLYMPIC LIFTING MODULE (2)
- ACCESSORY AND WEIGHT STORAGE (2)
- BALL & HANGING STORAGE

INCLUDED ATTACHMENTS/OPTIONS

- VERTICAL WEIGHT STORAGE
- VERTICAL DUMBBELL STORAGE (2)
- MULTI-GRIP CROSS (2)
- GROUND ROTATIONAL TRAINER
- DOUBLE PLAY
- X-RACK DOUBLE PLAY (2)
- BATTLE ROPE ANCHOR (2)
- HANGING STORAGE HOOK (2)
- RESISTANCE BAND ANCHOR (2)


NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCF2SC-5M-X2
Footprint	50.4" x 234.6" (128 cm x 596 cm)
Height	Frame 95.8" (243 cm); Ball Target 125.5" (319 cm)
Minimum Required Live Area	20.2' x 24.9' (6.2 m x 7.6 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




INCLUDED MODULES

- STORAGE MODULE
- STALL BARS
- BALL & HANGING STORAGE
- BALL TARGET WALL
- BALL TARGET WALL REVERSE SIDE

INCLUDED ATTACHMENTS/OPTIONS

- BATTLE ROPE ANCHOR (2)
- HANGING STORAGE HOOK (2)
- GROUND ROTATIONAL TRAINER (2)
- DOUBLE PLAY (2)
- RESISTANCE BAND ANCHOR (2)
- BALL TARGET (2)
- 3D HEAVY BAG SWIVEL (2)
- VERTICAL DUMBBELL STORAGE
- PLYO-STEP ATTACHMENT


NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCFB-6M-19
Outside Bridge Footprint	234.5" x 226.3" (595 cm x 575 cm)
Inside Bridge Footprint	54.3" x 152.3" (138 cm x 387 cm)
Height	Frame 101.8" (259 cm); Endless Rope Drum 107.2" (272 cm); Ball Target 125.5" (319 mm)
Minimum Required Live Area	26.3" x 19.4" (8.0 m x 5.9 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




INCLUDED MODULES

- STALL BARS (2)
- STORAGE MODULE
- BALL & HANGING STORAGE
- BALL TARGET WALL
- MODULE EXTENSION

INCLUDED ATTACHMENTS

- DIP ATTACHMENT
- ENDLESS ROPE
- 3D HEAVY BAG SWIVEL
- ROCK CLIMBING GRIPS (2)
- BALL & HANGING STORAGE EXTENSION
- BATTLE ROPE ANCHOR
- HANGING STORAGE HOOK
- VERTICAL DUMBBELL STORAGE
- RESISTANCE BAND ANCHOR
- BALL TARGET
- GROUND ROTATIONAL TRAINER
- DOUBLE PLAY
- PLYO-STEP


NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCFB-10M-23-X1
Outside Bridge Footprint	234.3" x 287.4" (595 cm x 730 cm)
Inside Bridge Footprint	234.3" x 200.4" (595 cm x 509 cm)
Height	Frame 101.8" (259 cm); Endless Rope Drum 107.2" (272 cm); Ball Target 125.5" (319 mm)
Minimum Required Live Area	24.8' x 30.0' (7.6 m x 9.1 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



INCLUDED MODULES

- STALL BARS (2)
- STORAGE MODULE (2)
- ACCESSORY & WEIGHT STORAGE
- BALL & HANGING STORAGE
- BALL TARGET WALL
- OLYMPIC LIFTING STATION (2)

INCLUDED ATTACHMENTS/OPTIONS

- ENDLESS ROPE (2)
- 3D HEAVY BAG SWIVEL (4)
- ROCK CLIMBING GRIPS (4)
- BALL & HANGING STORAGE EXTENSION (2)
- BATTLE ROPE ANCHOR (2)
- HANGING STORAGE HOOK (2)
- VERTICAL DUMBBELL STORAGE (2)
- RESISTANCE BAND ANCHOR (2)
- BALL TARGET (4)
- GROUND ROTATIONAL TRAINER (2)
- DOUBLE PLAY (4)
- VERTICAL WEIGHT STORAGE (2)
- MULTI-GRIP CROSS (2)

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.




X-CREATE STORAGE WALL PACKAGES



Model number	XCSW-1M
Footprint	36.7" x 53.9" (93 cm x 136 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	11' x 8.5' (3.37 m x 2.59 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



MAIN OPTIONS / SUBSTITUTIONS


- BALL TARGET
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO ATTACHMENT
- STALL BARS
- BALL TARGET WALL
- MONKEY BAR CONFIGURATIONS
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCSW-2M
Footprint	36.7" x 99" (93 cm x 251 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	11' x 12.3' (3.37 m x 3.75 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.


TOP VIEW



MAIN OPTIONS / SUBSTITUTIONS


- BALL TARGET
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO ATTACHMENT
- STALL BARS
- BALL TARGET WALL
- MONKEY BAR CONFIGURATIONS
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCSW-3M
Footprint	36.7" x 144.1" (93 cm x 366 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	11' x 16.0' (3.37 m x 4.88 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.


TOP VIEW



MAIN OPTIONS / SUBSTITUTIONS


- BALL TARGET
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO ATTACHMENT
- STALL BARS
- BALL TARGET WALL
- MONKEY BAR CONFIGURATIONS
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCSW-4M
Footprint	36.7" x 189.1" (93 cm x 480 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	11' x 19.8' (3.37 m x 6.04 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



MAIN OPTIONS / SUBSTITUTIONS

- BALL TARGET
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO ATTACHMENT
- STALL BARS
- BALL TARGET WALL
- MONKEY BAR CONFIGURATIONS
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCSW-5M
Footprint	36.7" x 234.2" (93 cm x 594 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	11' x 23.5' (3.37 m x 7.16 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



MAIN OPTIONS / SUBSTITUTIONS

- BALL TARGET
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO ATTACHMENT
- STALL BARS
- BALL TARGET WALL
- MONKEY BAR CONFIGURATIONS
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



X-CREATE BASE WALL PACKAGES




Urethane boots that cover anchoring hardware

UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCW-1M
Footprint	36.7" x 53.9" (93 cm x 136 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	11' x 8.5' (3.37 m x 2.59 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS

- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE


NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCW-2M
Footprint	36.7" x 99" (93 cm x 251cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	11' x 12.3' (3.37 m x 3.75 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS


- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCW-3M
Footprint	36.7" x 144.1" (93 cm x 366 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	11' x 16.0' (3.37 m x 4.88 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS


- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCW-4M
Footprint	36.7" x 189.1" (93 cm x 480 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	11' x 19.8' (3.37 m x 6.04 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS


- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCW-5M
Footprint	36.7" x 234.2" (93 cm x 594 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	11' x 23.5' (3.37 m x 7.16 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS

- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE


NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCW-6M
Footprint	36.7" x 279.7" (93 cm x 710 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	11' x 27.3' (3.37 m x 8.32 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS

- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE


NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCW-7M
Footprint	36.7" x 324.8" (93 cm x 825 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	11' x 31.1' (3.37 m x 9.48 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS

- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE


NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCW-8M
Footprint	36.7" x 369.8" (93 cm x 939 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	11' x 34.8' (3.37 m x 10.61 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS

- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE


NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCW-9M
Footprint	36.7" x 414.9" (93 cm x 1054 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	11' x 38.6' (3.37 m x 11.77 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS

- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCW-10M
Footprint	36.7" x 460.0" (93 cm x 1168 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	11' x 42.3' (3.37 m x 12.89 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS

- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.




X-CREATE BASE BRIDGE PACKAGES



Model number	XCB-2M-13
Outside Bridge Footprint	54.3" x 154.3" (138 cm x 392 cm)
Inside Bridge Footprint	54.3" x 80.3" (138 cm x 204 cm)
Height	Frame 101.8" (259 cm)
Minimum Required Live Area	11.5' x 13.4' (3.5 m x 4.1 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS


- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE
- EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS
- MONKEY BARS
- FUNCTIONAL BARS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCB-2M-15
Outside Bridge Footprint	54.3" x 178.3" (138 cm x 453 cm)
Inside Bridge Footprint	54.3" x 104.3" (138 cm x 265 cm)
Height	Frame 101.8" (259 cm)
Minimum Required Live Area	11.5' x 15.4' (3.5 m x 4.7 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS


- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS
- MONKEY BARS
- FUNCTIONAL BARS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCB-2M-17
Outside Bridge Footprint	54.3" x 202.3" (138 cm x 514 cm)
Inside Bridge Footprint	54.3" x 128.3" (138 cm x 326 cm)
Height	Frame 101.8" (259 cm)
Minimum Required Live Area	11.5' x 17.4' (3.5 m x 5.3 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS


- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE
- EXTENSION
- GROUND ROTATIONAL
- TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS
- MONKEY BARS
- FUNCTIONAL BARS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCB-2M-19
Outside Bridge Footprint	54.3" x 226.4" (138 cm x 575 cm)
Inside Bridge Footprint	54.3" x 152.3" (138 cm x 387 cm)
Height	Frame 101.8" (259 cm)
Minimum Required Live Area	11.5' x 19.4' (3.5 m x 5.9 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS


- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS
- MONKEY BARS
- FUNCTIONAL BARS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCB-2M-21
Outside Bridge Footprint	54.3" x 250.4" (138 cm x 636 cm)
Inside Bridge Footprint	54.3" x 176.4" (138 cm x 448 cm)
Height	Frame 101.8" (259 cm)
Minimum Required Live Area	11.5' x 21.4' (3.5 m x 6.5 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS


- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS
- MONKEY BARS
- FUNCTIONAL BARS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCB-2M-23
Outside Bridge Footprint	54.3" x 274.4" (138 cm x 697 cm)
Inside Bridge Footprint	54.3" x 200.4" (138 cm x 509 cm)
Height	Frame 101.8" (259 cm)
Minimum Required Live Area	11.5' x 23.4' (3.5 m x 7.1 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS


- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS
- MONKEY BARS
- FUNCTIONAL BARS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCB-2M-25
Outside Bridge Footprint	54.3" x 298.4" (138 cm x 758 cm)
Inside Bridge Footprint	54.3" x 224.4" (138 cm x 570 cm)
Height	Frame 101.8" (259 cm)
Minimum Required Live Area	11.5' x 25.4' (3.5 m x 7.7 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS


- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS
- MONKEY BARS
- FUNCTIONAL BARS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCB-2M-27
Outside Bridge Footprint	54.3" x 322.4" (138 cm x 819 cm)
Inside Bridge Footprint	54.3" x 248.4" (138 cm x 631 cm)
Height	Frame 101.8" (259 cm)
Minimum Required Live Area	11.5' x 27.4' (3.5 m x 8.4 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS


- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS
- MONKEY BARS
- FUNCTIONAL BARS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCB-2M-29
Outside Bridge Footprint	54.3" x 346.4" (138 cm x 880 cm)
Inside Bridge Footprint	54.3" x 272.4" (138 cm x 692 cm)
Height	Frame 101.8" (259 cm)
Minimum Required Live Area	11.5' x 29.4' (3.5 m x 9.0 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS


- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS
- MONKEY BARS
- FUNCTIONAL BARS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCB-2M-31
Outside Bridge Footprint	54.3" x 370.4" (138 cm x 941 cm)
Inside Bridge Footprint	54.3" x 296.4" (138 cm x 753 cm)
Height	Frame 101.8" (259 cm)
Minimum Required Live Area	11.5' x 31.4' (3.5 m x 9.6 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS


- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS
- MONKEY BARS
- FUNCTIONAL BARS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCB-2M-33
Outside Bridge Footprint	54.3" x 394.5" (138 cm x 1002 cm)
Inside Bridge Footprint	54.3" x 320.4" (138 cm x 814 cm)
Height	Frame 101.8" (259 cm)
Minimum Required Live Area	11.5' x 33.4' (3.5 m x 10.2 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION


ATTACHMENT OPTIONS

- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS
- MONKEY BARS
- FUNCTIONAL BARS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.




X-CREATE STORAGE 2-SIDED CENTER PACKAGES



Model number	XCS2SC-1M
Footprint	50.0" x 53.9" (127 cm x 136 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	20' x 8.5' (6.10 m x 2.59 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.


TOP VIEW



MAIN OPTIONS / SUBSTITUTIONS


- BALL TARGET
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO ATTACHMENT
- STALL BARS
- BALL TARGET WALL
- MONKEY BAR CONFIGURATIONS
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCS2SC-2M
Footprint	50.0" x 99" (127 cm x 251cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	20' x 12.3' (6.10 m x 3.75 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.


TOP VIEW



MAIN OPTIONS / SUBSTITUTIONS


- BALL TARGET
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO ATTACHMENT
- STALL BARS
- BALL TARGET WALL
- MONKEY BAR CONFIGURATIONS
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCS2SC-3M
Footprint	50.0" x 144.1" (127 cm x 366 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	20' x 16.0' (6.10 m x 4.88 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.


TOP VIEW



MAIN OPTIONS / SUBSTITUTIONS


- BALL TARGET
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO ATTACHMENT
- STALL BARS
- BALL TARGET WALL
- MONKEY BAR CONFIGURATIONS
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCS2SC-4M
Footprint	50.0" x 189.1" (127 cm x 480 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	20' x 19.8' (6.10 m x 6.04 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.


TOP VIEW



MAIN OPTIONS / SUBSTITUTIONS


- BALL TARGET
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO ATTACHMENT
- STALL BARS
- BALL TARGET WALL
- MONKEY BAR CONFIGURATIONS
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XCS2SC-5M
Footprint	50.0" x 234.2" (127 cm x 594 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	20' x 23.5' (6.10 m x 7.16 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



MAIN OPTIONS / SUBSTITUTIONS

- BALL TARGET
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO ATTACHMENT
- STALL BARS
- BALL TARGET WALL
- MONKEY BAR CONFIGURATIONS
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE
- ROCK CLIMBING GRIPS

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



X-CREATE BASE 2-SIDED CENTER PACKAGES



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XC2SC-1M
Footprint	50.0" x 53.9" (127 cm x 136 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	20' x 8.5' (6.10 m x 2.59 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS


- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XC2SC-2M
Footprint	50.0" x 99.0" (127 cm x 251cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	20' x 12.3' (6.10 m x 3.75 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS


- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XC2SC-3M
Footprint	50.0" x 144.1" (127 cm x 366 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	20' x 16.0' (6.10 m x 4.88 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS

- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE


NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XC2SC-4M
Footprint	50.0" x 189.1" (127 cm x 480 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	20' x 19.8' (6.10 m x 6.04 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS

- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XC2SC-5M
Footprint	50.0" x 234.2" (127 cm x 594 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	20' x 23.5' (6.10 m x 7.16 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS


- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



Model number	XC2SC-6M
Footprint	50.0" x 279.7" (127 cm x 710 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	20' x 27.3' (6.10 m x 8.32 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS

- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE


NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XC2SC-7M
Footprint	50.0" x 324.8" (127 cm x 825 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	20' x 31.1' (6.10 m x 9.48 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS

- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE


NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XC2SC-8M
Footprint	50.0" x 369.8" (127 cm x 1279 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	20' x 34.8' (6.10 m x 10.61 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS

- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE


NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XC2SC-9M
Footprint	50.0" x 414.9" (127 cm x 1054 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	20' x 38.6' (6.10 m x 20.77 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS

- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE


NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XC2SC-10M
Footprint	50.0" x 460.0" (127 cm x 1168 cm)
Height	Frame 95.8" (243 cm)
Minimum Required Live Area	20' x 42.3' (6.10 m x 12.89 m)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



MODULE OPTIONS

- STORAGE MODULE
- BALL & HANGING STORAGE
- STALL BARS
- BALL TARGET WALL
- MODULE EXTENSION

ATTACHMENT OPTIONS

- BALL TARGET
- BATTLE ROPE ANCHOR
- BALL & HANGING STORAGE EXTENSION
- GROUND ROTATIONAL TRAINER
- BAR/WEIGHT STORAGE
- DIP ATTACHMENT
- PLYO-STEP ATTACHMENT
- 3D HEAVY BAG SWIVEL
- ENDLESS ROPE

NOTE: X-Create systems are required to be bolted to a concrete sub-floor.



X-CREATE MODULES



(1) Ball storage component with adjustable rails for different diameter balls.




17.3 in (44 cm) deep trays can hold up to 100 lb hex head dumbbells and trays can be mounted at an angle or flat.

(4) heavy duty trays with 3/8 inch (9 mm) thick mat.

Model number	XCREATE-4SM
Assembled Dimensions	69.1" x 42.9" x 19.5" (176 cm x 109 cm x 50 cm)
Weight	189 lb (85.7 kg)
Compatibility	X-Create Module Space
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW





(1) Ball storage component with adjustable rails for different diameter balls.



(3) heavy duty trays with 3/8 inch (9 mm) thick mat.





Horizontal Weight Storage with two nylon covered solid steel weight horns that are 11.7 in (30 cm) long.

17.3 in (44 cm) deep trays can hold up to 100 lb hex head dumbbells and trays can be mounted at an angle or flat.

Model number	XCREATE-4AWSM
Assembled Dimensions	69.1" x 42.9" x 23.4" (176 cm x 109 cm x 60 cm)
Weight	164 lb (74.3 kg)
Compatibility	X-Create Module Space
Warranty	10 year frame and welds/1 year parts/90 days misc.


TOP VIEW






Model number	XCREATE-4TDM
Assembled Dimensions	37.5" x 42.2" x 19.6" (95 cm x 107 cm x 50 cm)
Weight	27.2 lb (12.3 kg)
Compatibility	X-Create Module Space
Warranty	10 year frame and welds/1 year parts/90 days misc.


TOP VIEW






Model number	XCREATE-4BHS
Assembled Dimensions	42.9" x 19.6" x 5.8" (109 cm x 50 cm x 15 cm)
Weight	28.0 lb (12.7 kg)
Compatibility	X-Create Module Space
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW






Model number	XCREATE-4SB
Assembled Dimensions	73.2" x 42.0" x 3.0" (186 cm x 107 x 7.5 cm)
Weight	43.2 lb (19.6 kg)
Compatibility	X-Create Module Space
Warranty	10 year frame and welds/1 year parts/90 days misc.


TOP VIEW






Model number	XCREATE-4BTW
Assembled Dimensions	73.2" x 42.1" x 2.7" (186 cm x 107 cm x 7.0 cm)
Weight	81.6 lb (37.0 kg)
Compatibility	X-Create Module Space
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW





Model number	XCREATE-4BTWRS
Assembled Dimensions	71.7" x 40.6" x 0.71" (182 cm x 103 cm x 1.8 cm)
Weight	25.4 lb (11.5 kg)
Compatibility	X-Create Module Space with XCREATE-4BTW
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW

NOTE: This component does not include a frame. It attaches to and requires the XCREATE-4BTW to be used with 2-Sided Center Space Systems for a ball target wall on both sides.



3 X 3 INCH (75 MM) UPRIGHTS

(1) XRACK-BS BAR SUPPORTS

(1) XRACK-BC BAR CATCHES




Adds barbell lifting to any X-Create Wall, Center, or Bridge Space System


Model number	XCREATE-8OLS
Assembled Dimensions	43.9" x 48.4" x 87.9" (111.5 cm x 122.9 cm x 223.2 cm)
Weight	138.6 lb (62.8 kg)
Compatibility	X-Create Module Space
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW

NOTE: See X-Create Attachments for weight storage. (XCREATE-8UVWS)




Extends and adds training spaces to any
X-Create Base or Functional System



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCREATE-8UME
Assembled Dimensions	37.0" x 48.0" x 98.5" (94 cm x 122 cm x 243 cm)
Weight	110 lb (49.9 kg)
Compatibility	X-Create Module Space
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




Extends and adds training spaces to any
X-Create 2-Sided Center Base or Functional
System



UPRIGHT COLOR OPTIONS




PLATINUM



SATIN BLACK

Model number	XCREATE-2S8UME
Assembled Dimensions	50.0" x 48.0" x 98.5" (127 cm x 122 cm x 243 cm)
Weight	158 lb (71.7 kg)
Compatibility	X-Create 2-Sided Center Module Space
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW






X-CREATE ATTACHMENTS

Attaches to the side of X-Create and X-Lab uprights. Includes attachment anchor and adjustable height plyo-step.



Model number	XCREATE-PSA
Assembled Dimensions	30.6" x 24.0" x 53.7" (77.8 cm x 61.0 cm x 136.4 cm)
Weight	75.5 lb (34.2 kg)
Compatibility	X-Create and X-Lab uprights
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



NOTE


- MOUNTS TO X-CREATE UPRIGHTS

Attaches to the side of X-Create and X-Lab uprights. Includes attachment anchor and adjustable height dip bar.



Model number	XCREATE-DA
Dimensions	34.4" x 23.6" x 53.7" (87.4 cm x 60.0 x 136.4 cm)
Weight	62.5 lb (28.4 kg)
Compatibility	X-Create and X-Lab uprights
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



NOTE

- MOUNTS TO X-CREATE UPRIGHTS

The high-impact molded nylon battle rope anchor attaches to the base of the X-Create uprights and provides a smooth surface preventing wear on up to 3 inch (75 mm) diameter battle ropes.



Model number	XRACK-BRA
Dimensions	8.9" x 3.0" x 4.3" (22.6 cm x 7.5 cm x 11.0 cm)
Weight	1.6 lb (0.73 kg)
Compatibility	X-Create, X-Lab, X-Rack, X-Siege and XHC
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



NOTE


- MOUNTS TO X-CREATE UPRIGHTS

The high-impact molded nylon battle rope anchor attaches to X-Create uprights and provides a storage location for battle ropes or other accessories.



Model number	XCREATE-HSH
Dimensions	8.5" x 3.0" x 7.6" (21.5 cm x 7.5 cm x 19.3 cm)
Weight	1.5 lb (0.70 kg)
Compatibility	X-Create, X-Rack, and X-Siege (see note below)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



NOTE


- MOUNTS TO X-CREATE UPRIGHTS
- COMPATIBLE WITH X-RACK AND X-SIEGE SYSTEMS THAT HAVE WEIGHT OR ACCESSORY STORAGE UPRIGHTS.



Provides storage for stability balls, exercise mats and hanging accessories. Adjustable pegs accommodate mats holes from x to y wide. Attaches to the side of X-Create and X-Rack uprights.

Model number	XCREATE-BHSE
Dimensions	29.8" x 19.6 x 5.8" (76 cm x 50 cm x 15 cm)
Weight	18.9 lb (8.6 kg)
Compatibility	X-Create and X-Rack uprights
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



NOTE


- MOUNTS TO X-CREATE UPRIGHTS



Rotates and swivels in 3-dimensional space to improve exercise quality and extend life of hooks and heavy bags. Attaches to Suspension Mount on X-Create Uprights.


Model number	XCREATE-3DS
Dimensions	6.8" x 4.5" x 2.8" (17.3 cm x 11.5 cm x 7.1cm)
Weight	2.9 lb (1.3 kg)
Compatibility	X-Create Uprights
Hanging height of heavy bag	81.9" (208 cm)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



NOTE


- MOUNTS TO X-CREATE UPRIGHTS



Rotates and swivels in 3-dimensional space to improve exercise quality and extend life of hooks and heavy bags. Attaches to X-Create Bridge System and X-Rack Monkey Bar and Rectangular Crosses.


Model number	XCREATE-3DSM
Dimensions	5.9" x 8.9" x 10.9" (14.9 cm x 22.6 cm x 27.8 cm)
Weight	8.6 lb (3.9 kg)
Compatibility	X-Create and X-Rack rectangular and monkey bar crosses
Hanging height of heavy bag	90.1" (229 cm)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW




NOTE

- MOUNTS TO X-CREATE BRIDGE SYSTEMS



Model number	XCREATE-DP
Dimensions	11.3" x 13.4" x 9.8" (28.6 cm x 34.1 cm x 9.8 cm)
Weight	9.7 lb (4.4 kg)
Compatibility	X-Create uprights
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



NOTE


- MOUNTS TO X-CREATE UPRIGHTS

Upper Wall Ball Target attaches to X-Create Uprights and provides both a 9 foot (2.7 m) and 10 foot (3.0 m) target height.



Model number	XCREATE-BT
Dimensions	39.2" x 14.4" x 17.6" (99.5 cm x 36.6 cm x 44.6 cm)
Weight	30.1 lb (13.9 kg)
Compatibility	X-Create uprights
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



NOTE

- MOUNTS TO X-CREATE UPRIGHTS


Also referred to as a landmine, the ground rotational trainer attaches to the base of the X-Create upright to provide rotational training with any sized Olympic Bar.



Molded rubber keeps GRT centered in the storage position

Model number	XHMGRT
Dimensions	18.2" x 5.0" x 5.7" (46.1 cm x 12.7 cm x 14.5 cm)
Weight	14.6 lb (6.6 kg)
Compatibility	X-Create uprights; X-Rack and X-Siege with lower band peg attachment
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



NOTE

- MOUNTS TO X-CREATE UPRIGHTS


Attaches to the side of X-Create uprights or to the Monkey Bar Crosses on Bridge Systems.

Variable magnetic brake provides increasing resistance with speed.




Model number	XERD
Dimensions	12.7" x 12.1" x 15.5" (32.3 cm x 30.1 cm x 15.5 cm)
Weight	46 lb (20.9 kg)
Compatibility	X-Create, X-Lab, X-Rack, X-Cages and X-Siege
Rope height - On Uprights	77.8" (198 cm)
Rope height - On Monkey Bars	103.9" (264 cm)
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



NOTE


- MOUNTS TO X-CREATE UPRIGHTS AND TO MONKEY BAR CROSSES OF BRIDGE SYSTEMS
- ROPE HEIGHT IS MEASURED TO CENTER OF DRUM



The Vertical Dumbbell Storage Attachment holds 4 pairs of dumbbells (each up to 35 lbs) and attaches to the inside or outside of a module on any X-Create Upright. Nylon guards prevent damage to rack or dumbbell grips.

Model number	XCREATE-VDS4
Dimensions	5.4" x 4.9" x 56.4" (13.6 cm x 12.4 cm x 143.2 cm)
Weight	22.4 lb (10.2 kg)
Compatibility	X-Create uprights
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



NOTE


- MOUNTS TO X-CREATE UPRIGHTS

The high-impact molded nylon pegs and upright colored smooth finish provide an anchor solution for resistance bands, loops and Ripp Trainers. The RBA can also serve as a battle rope anchor. Sold individually.




Model number	XCREATE-RBA
Dimensions	16.0" x 3.9" x 87.9" (40.6 cm x 9.9 cm x 223.3 cm)
Weight	21.6 lb (9.8 kg)
Compatibility	X-Create uprights
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



NOTE

- MOUNTS TO X-CREATE UPRIGHTS
- SOLD INDIVIDUALLY



Solid welded shafts include nylon sleeves to protect paint are 11.7 in (297 mm) long can hold up to 45 lb Olympic plates on every peg. Sold as a pair.



Model number	XCREATE-8UVWS
Dimensions (each side)	71.3" x 3.0" x 14.7" (181.1 cm x 7.5 cm x 37.4 cm)
Weight	64.2 lb (29.1 kg)
Compatibility	X-Create uprights
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW

NOTE

- MOUNTS TO X-CREATE UPRIGHTS
- SOLD AS PAIR





Challenge your pull-ups and improve grip strength with the Rock Climbing Attachment. Mounts to X-Create Bridge System Monkey Bar Crosses. Sold as a set of left and right textured high-impact nylon molded rock grips on mounting plates.

Model number	XRACK-RCK
Dimensions (recommended width)	2.3" x 32.9" x 4.7" (5.8 cm x 83.6 cm x 11.8 cm)
Weight	2.5 lb (5.5 kg)
Compatibility	X-Create, X-Rack and X-Siege Monkey Bar and Rectangular Crosses
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW

NOTE

- MOUNTS TO X-CREATE BRIDGE SYSTEMS






The 4 ft (1.2 m) Multi-Grip Cross has three ergonomic 1.25 in (32 mm) grip positions and a 2" (50 mm) straight "fat" bar to add variation to pull-ups. The handles are made of solid steel and powder coated with our textured storm grey wrinkle paint for an excellent grip.

The Multi-Grip Cross is standard on some Functional Packages and can be substituted for the straight bar single cross that comes standard on most X-Create Systems.


Model number	XCREATE-4MGX
Dimensions	41.7" x 14.3" x 5.9" (106 cm x 36 cm x 15 cm)
Weight	30.1 lb (13.9 kg)
Compatibility	All X-Create Systems
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW



NOTE

- STANDARD ON SOME FUNCTIONAL PACKAGES
- AVAILABLE SUBSTITUTION FOR XCREATE-4SX ON BASE AND STORAGE PACKAGES.




Two Top Boom Extensions allow the pull-up bar to be moved out 15.3 inches (38.9 cm) extending it further away from trays to allow for more unconstrained pull-ups.

A single Top Boom Extension will allow the 3-dimensional swivel and heavy bag to move away from the upright further preventing damage to the heavy bag from the trays.


Model number	XCREATE-TBE
Dimensions	45.2" x 11.2" x 3.4" (115 cm x 8.5 cm x 8.5 cm)
Weight	26.0 lb (11.8 kg)
Compatibility	All X-Create Wall and 2-Sided Center Systems
Warranty	10 year frame and welds/1 year parts/90 days misc.

TOP VIEW





The Nut Caps serve as a washer replacement and hide exposed bolt threads, protecting accessories from damage.



The Socket Head Cap Screw Covers replace washers and upgrade the aesthetics of your system, giving the X-Create a more refined look.




Model number

XHCFK-18BH


Quantity per kit

18 Nut Covers & 18 Socket Head Bolt Covers

TOP VIEW



NUT COVER



BOLT COVER

NOTE

- The kit quantity is enough to replace washers in one single upright or one 4 foot or 6 foot Monkey Bar Section.
- The covers will not work with certain modules and attachments.